

# TCGRIT<sup>®</sup> K

The carbide coated saw band with continuous coating



- ⬆ Product Level 2
- Solid materials and profiles
- ↕ Band width 6 x 0.5 - 32 x 1.1mm  
Band width 1/4 x 0.020 - 1-1/4 x 0.042 Inch
- ⊖ Workpiece dimension small

## Product Information

---

### The carbide coated saw band with continuous coating

#### Application:

- Cables and wires, composite materials, metal flex hoses
- Glass fibre and carbon fibre reinforced plastics (GRP / CRP)
- Small workpiece dimensions

#### Advantages:

- Long life due to high wear resistance
- Low rework due to high surface quality

#### Features:

- Continuously carbide coated
- Extremely durable band edge, suitable for wet and dry cutting

## Technical Data

Dimensions		Grain sizes		
Width x thickness				
mm	Inch	525	301	181
6 x 0.50	1/4 x 0.020		X	
10 x 0.65	3/8 x 0.025		X	
13 x 0.50	1/2 x 0.020		X	
13 x 0.65	1/2 x 0.250		X	X
20 x 0.80	3/4 x 0.032		X	
25 x 0.90	1-1/16 x 0.035	X		
32 x 1.10	1-1/4 x 0.042	X		

## Materials Overview



- Silicon, glass, natural stone
- Glass fibre
- Cables and wires
- Metal flex hoses